
BIRTHS TO TEENS I	N WISCONSIN, 1998

Bureau of Health Information Division of Health Care Financing Department of Health and Family Services



### Overview

This report presents data on births to Wisconsin teens for 1998 and other relevant years in two main sections: "Statewide Information" and "Local Information".

Data files used in the report are: resident birth certificate file, matched infant birth-death file, fetal death file and the reported induced abortion publication. In this report, births are defined as live births. All data refer to Wisconsin residents unless otherwise noted.

All the information presented here is derived from data that appeared previously in reports from the Bureau of Health Information, Vital Records Section, with the exception of Table 11 (teen births by race and county of residence), and Table 13 (teen births by city of residence).

All the information is presented according to place of residence. This means that events have been assigned to the area where the person lives (usually legal residence) regardless of where the events occurred. For births, reference is to the residence of the mother. For deaths, the reference is to the residence of the infant.

Additional county-level data on teen births are available through AIM (the Assessment Information Manager) on the Department of Health and Family Services Web site located at <a href="http://www.dhfs.state.wi.us/index.htm">http://www.dhfs.state.wi.us/index.htm</a>

The material in this report was compiled by Jan Silbaugh in the Vital Records Section of the Bureau of Health Information. The report was prepared under the overall direction of Barbara Rudolph, Director, and Sandra Breitborde, Deputy Director, Bureau of Health Information, and Jane Kraus, Supervisor, Vital Registration and Statistics Unit.

Comments, suggestions and requests for further information may be addressed to:

Bureau of Health Information
Division of Health Care Financing
P.O. Box 309, Room 145
Madison, WI 53701-0309

(608) 266-2838, or silbajl@dhfs.state.wi.us (Silbaugh)

# **Table of Contents**

## **Statewide Information**

Table 1.	Births to Teens by Age Group, Wisconsin, 1970-1998	.3
Figure 1.	Age-Specific Teen Birth Rates, Wisconsin, Selected Years, 1980-1998	
Table 2a.	Age-Specific Teen Birth Rates, Wisconsin and United States, 1998	
Table 2b.	Teen Birth Rates, Wisconsin and United States, 1980-1998	
Table 3.	Births to Teens by Age Group and Race/Ethnicity, Wisconsin, Selected	
F: 0	Years	.5
Figure 2.	Births to Teens as a Percent of All Births by Race/Ethnicity, Wisconsin,	_
	1988 and 1998	
Figure 3.	Births to Teens as a Percent of All Births by Race/Ethnicity and Age Group	
	Wisconsin, 1998	
Table 4.	Births to Teens by Marital Status, Wisconsin, Selected Years	.7
Table 5.	Births to Teens Who Received First-Trimester Prenatal Care, by Age Group, Wisconsin, 1988-1998	7
Table 6.	Second Order or Higher Births to Teens by Age Group, Wisconsin, Selected	
10010 01	Years	
Figure 4.	Percent of Second Order or Higher Births to Teens by Age Group,	
1 18010	Wisconsin, Selected Years	8
Table 7.	Births to Teens by Age Group and Selected Characteristics, Wisconsin,	
14010 7.	1998	9
Table 8.	Fetal, Neonatal, and Infant Deaths by Teen Age Group, Wisconsin,	
14010 0.	1998	0
Local Informat	ion	
Table 9.	Births to Teens by Age Group and County of Residence, Wisconsin, 1998	11
Table 10.	Teen Birth Rates and Estimated Pregnancy Rates by Teen Age Group and	
10010 101	County of Residence, Wisconsin, 1998	13
Table 11.	Births to Teens by Age Group, Race of Mother and County of Residence,	
10010 111	Wisconsin, 1998.	15
Table 12.	Births to Unmarried Teens by Age Group and County of Residence,	
14010 12.	Wisconsin, 1998.	17
Table 13.	Births by Teen Age Group and Selected City of Residence,	- /
14010 151	Wisconsin, 1998.	19
		-/
<b>Technical Notes</b>		
Definitions,	Explanation of Terms and Limitations of the Data	20
	h Certificate Worksheet	
	th Certificate	
-	ort of Fetal Death	


Table 1. Births to Teens by Age Group, Wisconsin 1970-1998

				Number				Percent	Percent	Percent
	Num	ber of	Total	of Teen	Total	Perce	ent of	of All	of Teen	of All
	Teen	<b>Births</b>	<b>Births</b>	<b>Births</b>	<b>Births</b>	Teen l	Births	<b>Births</b>	<b>Births</b>	<b>Births</b>
Year	<15	15-17	<18	18-19	<20	<15	15-17	<18	18-19	<20
1970	87	2,522	2,609	7,088	9,697	0.9%	26.0%	3.4%	73.1%	12.5%
1971	98	2,575	2,673	6,774	9,447	1.0	27.3	3.7	71.7	13.1
1972	88	2,846	2,934	6,267	9,201	1.0	30.9	4.5	68.1	14.2
1973	120	3,013	3,133	6,651	9,784	1.2	30.8	5.0	68.0	15.6
1974	119	3,100	3,219	6,435	9,654	1.2	32.1	4.9	66.7	14.8
1975	103	3,256	3,359	6,279	9,638	1.1	33.8	5.2	65.1	14.8
1976	125	2,970	3,095	6,111	9,206	1.4	32.3	4.8	66.4	14.2
1977	103	2,920	3,023	6,094	9,117	1.1	32.0	4.4	66.8	13.3
1978	72	2,865	2,937	5,940	8,877	0.8	32.3	4.3	66.9	12.9
1979	120	2,688	2,808	6,473	9,281	1.3	28.9	3.8	69.7	12.7
1980	93	2,741	2,834	6,379	9,213	1.0	29.8	3.8	69.2	12.3
1981	94	2,655	2,749	6,029	8,778	1.1	30.2	3.7	68.7	11.8
1982	91	2,452	2,543	5,659	8,202	1.1	29.9	3.4	69.0	11.0
1983	98	2,397	2,495	5,258	7,753	1.3	30.9	3.4	67.8	10.7
1984	98	2,305	2,403	4,973	7,376	1.3	31.2	3.3	67.4	10.1
1985	123	2,389	2,512	4,976	7,488	1.6	31.9	3.4	66.4	10.2
1986	121	2,340	2,461	4,679	7,140	1.7	32.8	3.4	65.5	9.9
1987	114	2,369	2,483	4,425	6,908	1.7	34.3	3.5	64.1	9.7
1988	133	2,322	2,455	4,486	6,941	1.9	33.5	3.5	64.6	9.8
1989	141	2,416	2,557	4,707	7,264	1.9	33.3	3.6	64.8	10.1
1990	148	2,337	2,485	4,925	7,410	2.0	31.5	3.4	66.5	10.2
1991	147	2,440	2,587	4,828	7,415	2.0	32.9	3.6	65.1	10.3
1992	159	2,427	2,586	4,622	7,208	2.2	33.7	3.7	64.1	10.2
1993		2,481	2,656	4,576	7,232	2.4	34.3	3.8	63.3	10.4
1994	161	2,497	2,658	4,379	7,037	2.3	35.5	3.9	62.2	10.3
						_				
1995	182	2,549	2,731	4,379	7,110	2.6	35.9	4.0	61.6	10.5
1996	143	2,507	2,650	4,453	7,103	2.0	35.3	4.0	62.7	10.6
1997	163	2,541	2,704	4,384	7,088	2.3	35.8	4.1	61.9	10.7
1998	111	2,366	2,477	4,570	7,047	1.6	33.6	3.7	64.9	10.5

Sources: Wisconsin Bureau of Health Information, *Trends in Maternal and Child Health Statistics*, 1968-1988; *Maternal and Child Health Statistics*, 1989-1994; *Wisconsin Births and Infant Deaths*, 1995, 1996, 1997 and 1998.

Note: The numbers of 1996 teen births reported here are different from those published earlier because other states filed three duplicate records for Wisconsin resident teen births.

Figure 1. Age-Specific Teen Birth Rates, Wisconsin, Selected Years, 1980-1998



Sources: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, for the

years 1995, 1996, 1997 and 1998

Note: The <18 (less than 18) and <20 (less than 20) birth rates are per 1,000 females aged 15-17

and 15-19, respectively, but include births to mothers less than 15.

Table 2a. Age-Specific Teen Birth Rates, Wisconsin and United States, 1998

Age	Wisconsin Rate	U.S. Rate
15-19	35.1	51.1
15-17	20.4	30.4
18-19	57.7	82.0

Sources: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998. United States

rates are from the National Vital Statistics Report, Vol. 47, No. 25, 1999.

Notes: Rates are the number of births per 1,000 females in the age group.

Wisconsin rates shown for births to mothers aged 15-19 and 15-17 include 111 births to mothers less than 15 years old. U.S. rates for ages 15-19 and 15-17 do not include births to mothers less than 15 years old.

Table 2b. Teen Birth Rates, Wisconsin and United States, 1980-1998

	1980	1990	1991	1992	1993	1994	1995	1996	1997	1998
Wisconsin	40	42	44	42	41	39	38	37	35	35
United States	53	60	62	61	60	59	57	55	53	51

Sources: Wisconsin Bureau of Health Information, Maternal and Child Health Statistics for the years 1968-1988;

Public Health Profiles for the years 1989-1994; Births to Teens in Wisconsin, 1994; Wisconsin Births and Infant Death, for the years 1995, 1996, 1997 and 1998. United States rates are from the National Vital Statistics Report, Vol. 47, No. 25, 1999, Hyattsville, Maryland, National Center for Health

Statistics.

Notes: Rates are the number of births per 1,000 females aged 15-19. Wisconsin rates for this table exclude

births to mothers below age 15.

Table 3. Births to Teens by Age Group and Race/Ethnicity, Wisconsin, Selected Years

	N	Birth Rate		
Year	<18	18-19	<20	<20
1988				
White	1,286	3,116	4,402	27.7
Black	942	1,014	1,956	174.0
Amer. Indian	50	119	169	94.4
Hispanic, Any Race	115	136	251	60.8
1990				
White	1,208	3,252	4,460	29.6
Black	961	1,219	2,180	183.9
Amer. Indian	63	106	169	92.2
Hispanic, Any Race	151	254	405	91.5
1998				
White	1,201	2,835	4,036	23.3
Black	792	1,040	1,832	133.0
Amer. Indian	74	103	177	81.2
Hispanic, Any Race	283	425	708	105.8

Sources: Wisconsin Bureau of Health Information, *Maternal and Child Health Statistics* (selected years); *Wisconsin Births and Infant Deaths, 1998.* 

Notes:

Births to mothers of Hispanic origin are excluded from race categories (see Technical Notes). (In contrast, Table 11 includes mothers of Hispanic origin within race categories.) The <20 birth rates are per 1,000 females aged 15-19, but include births to

mothers less than 15.

50 40 31 Percent of Births 28 □ 1988 30 23 **1998** 2.1 21 20 19 20 10 10 7 7 10 0 White Black Total Amer. Indian Hispanic Laotian/Hmong Race/Ethnicity of Mother

Figure 2. Births to Teens as a Percent of All Births by Race/Ethnicity, **Wisconsin, 1988 and 1998** 

Source: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Notes: Births to mothers of Hispanic origin are excluded from race categories in this figure because a Hispanic ethnicity category is shown (see Technical Notes). (In contrast, Table 11 includes mothers of Hispanic origin within self-identified race categories.) In 1998, 7% of births to mothers whose race/ethnicity was considered to be in the "other" category were to teens (not shown). There are no comparable 1988 data for the Laotian/Hmong or "other" group.




Figure 3. Births to Teens as a Percent of All Births by Race/Ethnicity and Age Group, Wisconsin 1998

Notes: Births to mothers of Hispanic origin are excluded from race categories (see Technical Notes). (In contrast, Table 11 includes mothers of Hispanic origin within race categories.)

Source: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Table 4. Births to Teens by Marital Status, Wisconsin, Selected Years

Marital	1988	1990	1992	1994	1995	1996	1997	1998
Status								
Married								
Number	1,631	1,475	1,357	1,139	1,171	1,146	1,095	1,077
Percent	23.5%	19.9%	18.8%	16.2%	16.5%	16.1%	15.4%	15.3%
Unmarried								
Number	5,310	5,934	5,851	5,897	5,937	5,957	5,993	5,970
Percent	76.5%	80.1%	81.2%	83.8%	83.5%	83.9%	84.6%	84.7%
Teen Births	6,941	7,410	7,208	7,037	7,110	7,103	7,088	7,047

Sources: Wisconsin Bureau of Health Information, Maternal and Child Health Statistics (selected years);

Wisconsin Births and Infant Deaths (1995, 1996, 1997 and 1998).

Note: Marital status was not reported for 1 birth in 1990 and 1994 and for 2 births in 1995.

Table 5. Births to Teens Who Received First-Trimester Prenatal Care, by Age Group, Wisconsin, 1988-1998

	Less tl	Less than 18		18-19		nan 20	All Births/All Ages	
Year	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1988	1,313	53	2,834	63	4,147	60	58,551	83
1989	1,399	55	2,855	61	4,254	59	58,564	81
1990	1,330	54	3,026	61	4,356	59	59,275	82
1991	1,402	54	3,018	63	4,420	60	58,705	81
1992	1,446	56	2,987	65	4,433	62	57,804	82
1993	1,527	57	2,973	65	4,500	62	57,251	82
1994	1,574	59	2,978	68	4,552	65	56,716	83
1995	1,628	60	3,074	70	4,702	66	56,155	83
1996	1,608	61	3,149	71	4,757	67	56,273	84
1997	1,640	61	3,167	72	4,807	68	56,112	84
1998	1,518	61	3,171	69	4,689	67	56,645	84

Sources: Wisconsin Bureau of Health Information, *Maternal and Child Health Statistics* (selected years); *Wisconsin Births and Infant Deaths* (1995, 1996, 1997 and 1998).

Table 6. Second Order or Higher Births to Teens by Age Group, Wisconsin, Years

Age Group	1988	1990	1992	1994	1995	1996	1997	1998
Less than 18	319	372	387	322	307	289	295	251
18-19	1,298	1,492	1,469	1,212	1,130	1,179	1,097	1,233
Total <20	1,617	1,864	1,841	1,534	1,437	1,468	1,392	1,484


Sources: Wisconsin Bureau of Health Information, Maternal and Child Statistics (selected years); Wisconsin

Births and Infant Deaths (1995, 1996, 1997 and 1998).

Notes: Birth order means order of present birth in relation to previous births.

Birth order was not reported for 3 births to mothers 18-19 in 1987; for 1 birth to mothers <18 in 1990; for 1 birth to mothers <18 in 1992; for 7 births to mothers 18-19 in 1994; for 3 births to mothers 18-19 in 1995; and for 1 birth to mothers <18 and 1 birth to mothers 18-19 in 1996.

Figure 4. Percent of Second Order or Higher Births to Teens by Age Group, Wisconsin, 1988-1998



Sources: Wisconsin Bureau of Health Information, *Maternal and Child Health Statistics* (selected years); *Wisconsin Births and Infant Deaths* (1995, 1996, 1997 and 1998).

Table 7. Births to Teens by Age Group and Selected Characteristics, Wisconsin, 1998

		4= 4=		40.40	••	All Births
	<15	15-17	<18	18-19	<20	All Ages
Total	111	2,366	2,477	4,570	7,047	67,379
Race/Ethnicity of Mother						
White	30	1,171	1,201	2,835	4,036	54,598
Black	60	732	792	1,040	1,832	6,480
Amer. Indian	2	72	74	103	177	829
Hispanic	11	272	283	425	708	3,633
Lao/Hmong	8	95	103	132	235	1,037
Other	-	24	24	33	57	795
Unknown	-	-	-	2	2	7
<b>Education of Mother</b>						
Elem. or Less	92	197	289	93	382	1,961
Some H.S.	18	1,996	2,014	1,865	3,879	8,641
H.S. Graduate	-	163	163	2,333	2,496	21,988
Some College	-	1	1	272	273	16,461
College Graduate	-		-	-	-	11,196
Post-Graduate	-		_	-	-	7,043
Unknown	1	9	10	7	17	89
Marital Status						
Married	3	202	205	872	1,077	47,779
Unmarried	108	2,164	2,272	3,698	5,970	19,599
Unknown	-	-	· -	· -	-	1
Trimester Prenatal Care B	egan					
First	48	1,470	1,518	3,171	4,689	56,645
Second	41	674	715	1,103	1,818	8,324
Third	13	164	177	198	375	1,689
No Prenatal Care	9	54	63	83	146	608
Unknown	-	4	4	15	19	113
Number of Prenatal Care V	Visits					
No Visits	9	54	63	83	146	608
1-4	12	165	177	219	396	1,932
5-9	41	661	702	1,214	1,916	11,825
10-12	24	960	984	1,857	2,841	29,652
13+	25	520	545	1,177	1,722	23,171
Unknown	-	6	6	20	26	191
Birthweight						
<1,500 grams	4	65	69	84	153	828
1500-2,499 grams	15	205	220	301	521	3,584
2,500+ grams	92	2,096	2,188	4,183	6,371	62,960
Unknown	-	_,0,0	-,100	2	2	7
<2,500 grams	19	270	289	385	674	4,412
, ,				, , ,		(Continued)

Table 7. Births to Teens by Age Group and Selected Characteristics, Wisconsin, 1998

						All Births
	<15	15-17	<18	18-19	<20	All Ages
Smoked During Pregnancy						
No	101	1,781	1,882	3,181	5,063	55,308
Yes	9	584	593	1,384	1,977	12,000
Unknown	1	1	2	5	7	71
Live Birth Order						
First	111	2,115	2,226	3,337	5,563	26,518
Second	_	233	233	998	1,231	22,254
Third	_	18	18	195	213	10,957
Fourth	_	-	-	34	34	4,310
Fifth or Higher	_	-	-	6	6	3,334
Unknown	-	-	-	-	-	6
Plurality						
Single Birth	111	2,319	2,430	4,484	6,914	65,484
Multiple Birth	-	47	47	86	133	1,895

Source: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Notes:

Included in the total of all births are 5 births for which age of mother was not reported. Births to mothers of Hispanic origin are excluded from race categories (see Technical Notes). (In contrast, Table 11 includes mothers of Hispanic origin within race categories.) A dash (-) indicates there were no births in that category.

Table 8. Fetal, Neonatal, and Infant Deaths by Teen Age Group, Wisconsin, 1998

						All Deaths
	<15	15-17	<18	18-19	<20	All Ages
Fetal deaths						
Number	1	19	20	34	54	401
Rate	-	-	8.0	7.4	7.6	5.9
Neonatal deaths						
Number	2	23	25	37	62	343
Rate	-	9.7	10.1	8.1	8.8	5.1
Infant deaths						
Number	4	39	43	55	98	488
Rate	=	16.5	17.4	12.0	13.9	7.2

Source: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Notes:

The fetal death rate is the number of reported fetal deaths per 1,000 live births and fetal deaths (see Technical Notes). (Fetal deaths are reportable only when fetal gestation is 20 weeks or more.) The neonatal death rate is the number of deaths occurring before 28 days of age, per 1,000 live births. The infant death rate is the number of deaths occurring before one year of age, per 1,000 live births. Rates based on fewer than 20 deaths are omitted because they are subject to large random fluctuations.

Table 9. Births to Teens by Age Group and County of Residence, Wisconsin, 1998

County	<15	15-17	<18	18-19	<20	All Births All Ages
Total	111	2,366	2,477	4,570	7,047	67,379
Adams Ashland Barron Bayfield Brown Buffalo	- - - - 3	10 4 17 1 91 2	10 4 17 1 94 2	18 13 42 10 184 5	28 17 59 11 278 7	167 208 475 139 3,130 143
Burnett Calumet Chippewa Clark Columbia Crawford	1 - 1 - -	3 8 23 18 19 7	4 8 24 18 19 7	10 28 49 25 41 14	14 36 73 43 60 21	149 480 633 537 620 206
Dane Dodge Door Douglas Dunn Eau Claire	4 - - - 1	110 20 2 20 13 26	114 20 2 20 13 27	216 48 17 37 34 51	330 68 19 57 47 78	5,125 944 239 509 471 1,058
Florence Fond du Lac Forest Grant Green Green Lake	- - - - -	23 6 17 8 5	23 6 17 8 5	73 13 35 15 17	96 19 52 23 22	33 1,141 93 505 379 228
Iowa Iron Jackson Jefferson Juneau Kenosha	- 1 - 1 5	3 6 27 11 90	3 7 27 12 95	6 1 19 59 29 161	9 1 26 86 41 256	290 38 198 892 277 2,077
Kewaunee La Crosse Lafayette Langlade Lincoln Manitowoc	- 2 - 1 1	5 33 2 10 7 26	5 35 2 10 8 27	7 80 8 17 27 67	12 115 10 27 35 94	220 1,267 175 199 304 922
Marathon Marinette Marquette Menominee Milwaukee Monroe	- - - - 60 -	31 14 - 8 903 24	31 14 - 8 963 24	89 27 9 12 1,482 39	120 41 9 20 2,445 63	1,476 445 126 89 14,733 549 (Continued)

Table 9. Births to Teens by Age Group and County of Residence, Wisconsin, 1998

County	<15	15-17	<18	18-19	<20	All Births All Ages
		10	10	25	25	267
Oconto	-	10	10	25	35	367
Oneida	- 2	7	7	24	31	332
Outagamie	3	50	53	91	144	2,172
Ozaukee	-	8	8	24	32	967
Pepin	-	2 7	8 2 7	3	5	81
Pierce	-	1	1	20	27	434
Polk	-	12	12	26	38	425
Portage	-	32	32	43	75	741
Price	-	-	-	13	13	157
Racine	11	136	147	218	365	2,633
Richland	-	3	3	15	18	199
Rock	6	94	100	152	252	2,040
Rusk	1	3	4	9	13	158
St. Croix	-	12	12	30	42	777
Sauk	1	19	20	46	66	711
Sawyer	-	9	9	14	23	154
Shawano	-	12	12	31	43	467
Sheboygan	-	49	49	89	138	1,323
Taylor	-	7	7	12	19	225
Trempealeau	_	5	5	23	28	337
Vernon	1	10	11	14	25	344
Vilas	_	3	3	10	13	175
Walworth	_	44	44	65	109	1,067
Washburn	1	3	4	9	13	148
Washington	3	27	30	58	88	1,469
Waukesha	1	53	54	152	206	4,124
Waupaca	-	20	20	48	68	596
Waushara	_	10	10	19	29	240
Winnebago	2	43	45	97	142	1,725
Wood	-	23	23	56	79	902

Source Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Notes: Included in the "all births" column are 5 births for which age of mother was not reported. A dash (-) indicates that there were no births in that category.

Table 10. Teen Birth Rates and Estimated Pregnancy Rates by Teen Age Group and County of Residence, Wisconsin, 1998

	Bi	irth Rate		Estimated	Pregnancy R	ate
County	<18	18-19	<20	<18	18-19	<20
Total	20.4	57.7	35.1	27.6	75.8	46.6
Adams Ashland	-	-	56.8	-	-	56.8
Barron	-	62.6	35.4	- -	62.6	36.0
Bayfield Brown	19.4	57.0	34.5	26.3	75.2	45.9
Buffalo	-	-	-	-	-	-
Burnett Calumet	-	43.3	21.8	-	43.3	21.8
Chippewa	19.0	56.1	34.1	19.0	57.3	34.6
Clark	-	49.6	32.1	-	49.6	32.1
Columbia	-	56.5	33.1	28.6	70.2	45.3
Crawford	-	-	30.5	-	-	30.5
Dane	11.4	34.6	20.4	21.9	65.3	38.6
Dodge Door	10.7	38.7	21.9	17.6	53.2	31.8
Douglas	20.6	60.3	35.9	20.6	60.3	35.9
Dunn	20.0	40.9	22.5	20.0	40.9	22.5
Eau Claire	9.4	27.8	16.5	9.4	27.8	16.5
Florence	-	-	_	-	_	_
Fond du Lac	10.0	47.5	25.0	15.2	54.6	31.0
Forest	-	_	-	-	-	<u>-</u>
Grant	-	42.5	25.0	22.3	54.6	35.1
Green	-	-	18.9	-	-	18.9
Green Lake	-	-	28.2	-	-	28.2
Iowa	-	-	-	-	-	-
Iron	-	_	-	-	-	-
Jackson	- 140	40.5	37.5	-	- 71.5	37.5
Jefferson	14.9	48.5	28.4 47.3	20.9	71.5	41.2
Juneau Kenosha	30.4	81.2 76.0	48.8	39.1	81.2 99.6	47.3 63.5
	30.4	70.0	40.0	37.1	77.0	05.5
Kewaunee La Crosse	- 11.1	40.6	22.4	13.6	- 47.7	26.7
Lafayette	-	-		-	-	-
Langlade	-	-	35.2	-	-	35.2
Lincoln	-	58.4	31.8	-	60.6	31.8
Manitowoc	13.5	53.6	28.9	17.0	66.3	35.9
Marathon	10.4	44.3	24.0	13.7	52.3	29.2
Marinette	-	41.8	26.1	-	41.8	26.1
Marquette	-	-	-	-	-	-
Menominee	-	-	93.5	-	-	93.5
Milwaukee	46.0	110.9	71.3	60.7	150.1	95.5
Monroe	25.1	65.4	40.6	25.1	65.4	40.6 <b>inued</b> )
-					(Cont	mucu)

Table 10. Teen Birth Rates and Estimated Pregnancy Rates by Teen Age Group and County of Residence, Wisconsin, 1998

-	В	irth Rate		Estimated	Pregnancy R	ate
County	<18	18-19	<20	<18	18-19	<20
Oconto		50.0	29.0		50.0	28.9
Oneida	-	54.7	27.2	=	54.7	27.2
	111	34.7	23.8	20.3	54.7 53.4	33.2
Outagamie	14.4			20.3		
Ozaukee	-	21.2	11.2	-	34.5	20.0
Pepin	-	20.1	1.5.0	-	-	15.0
Pierce	-	28.1	15.0	-	28.1	15.0
Polk	-	46.1	27.1	-	46.1	27.1
Portage	16.3	33.0	23.0	21.9	49.1	32.7
Price	-	-	_	-	_	_
Racine	34.2	78.0	51.4	44.2	100.2	66.2
Richland	=	=	_	-	_	_
Rock	30.2	70.6	46.1	37.7	89.1	58.0
D 1						
Rusk	-	-	10.7	-	24.6	10.1
St. Croix	16.6	33.4	18.7	25.0	34.6	19.1
Sauk	16.6	61.1	33.8	25.0	61.1	33.8
Sawyer	=	-	41.8	=	-	41.8
Shawano	-	57.1	30.9	-	57.1	30.9
Sheboygan	19.3	55.2	33.3	26.1	76.4	45.6
Taylor	-	_	-	_	-	_
Trempealeau	_	63.7	30.3	-	63.7	30.3
Vernon	-	-	24.2	-	_	25.2
Vilas	-	-	_	-	_	-
Walworth	22.2	52.0	33.7	26.7	69.5	43.3
Washburn	-	-	-	-	-	-
Washington	12.2	34.4	21.3	17.1	44.5	28.3
Waukesha	7.1	29.8	16.2	12.6	42.6	24.6
	18.5	29.8 61.2	36.4	27.7	42.6 77.8	48.7
Waupaca Waushara	10.3	01.2	39.7	21.1	11.0	48.7 39.7
	13.2	44.3		19.1	57.1	39.7 34.0
Winnebago			25.4			
Wood	12.5	46.9	26.0	18.4	62.0	35.6

Sources: Wisconsin Bureau of Health Information population estimates; Wisconsin Births and Infant Deaths,

1998; and Reported Induced Abortions in Wisconsin, 1998.

Notes: A birth rate is not calculated when there are fewer than 20 births for an age group in a county; this is indicated with a dash (-). Rates are per 1,000 females in the age group. The birth rates for mothers <20 and for mothers <18 include births to mothers below age 15.

Thiothers < 18 include births to mothers below age 13.
$$<20 \text{ Birth Rate} = 1,000 \text{ x}$$

$$\left( \begin{array}{c} \text{No. of resident live births to mothers} < 20 \\ \text{No. of females 15-19} \end{array} \right)$$
 $<18 \text{ Birth Rate} = 1,000 \text{ x}$ 

$$\left( \begin{array}{c} \text{No. of resident live births to mothers} < 18 \\ \text{No. of females 15-17} \end{array} \right)$$

The pregnancy rate is an estimate based on the number of live births, reported fetal deaths, and reported induced abortions. This underestimates the actual number of pregnancies because it does not include miscarriages not reported as fetal deaths. Fetal deaths are reportable when fetal gestation is 20 weeks or more. Pregnancies from border counties may also be underestimated because of limited reporting by out-of-state facilities.

Table 11. Births to Teens by Age Group, Race of Mother and County of Residence, Wisconsin, 1998

			<18			18-19		7	Total <20	)
County	Total	White	Black	Other	White	Black	Other	White	Black	Other
Total	7,047	1,471	801	205	3,245	1,050	273	4,716	1,851	478
Adams	28	9	1	-	16	2	-	25	3	-
Ashland	17	2	-	2	8	-	5	10	-	7
Barron	59	17	-	-	41	_	1	58	-	1
Bayfield	11	1	-	_	8	_	2	9	_	2
Brown	278	67	1	26	141	6	37	208	7	63
Buffalo	7	2	-	-	5	-	-	7	-	=
Burnett	14	2	_	2	8	_	2	10	-	4
Calumet	36	8	-	-	26	-	2	34	-	2
Chippewa	73	23	-	1	48	-	1	71	-	2
Clark	43	18	-	_	24	_	1	42	-	1
Columbia	60	19	-	-	40	-	1	59	-	1
Crawford	21	7	-	-	14	-	-	21	-	-
Dane	330	64	40	10	151	52	13	215	92	23
Dodge	68	20	-	_	48	_	-	68	_	-
Door	19	1	-	1	16	_	1	17	_	2
Douglas	57	19	-	1	35	_	2	54	_	3
Dunn	47	9	-	4	32	_	2	41	_	6
Eau Claire	78	24	-	3	46	-	5	70	-	8
Florence	-	_	_	_	_	_	_	_	_	_
Fond du Lac	96	18	3	2	67	2	4	85	5	6
Forest	19	4	_	2	8	1	4	12	1	6
Grant	52	17	-	_	35	_	-	52	-	-
Green	23	8	-	-	15	-	-	23	-	-
Green Lake	22	5	-	-	17	-	-	22	-	-
Iowa	9	3	-	=	6	-	-	9	-	-
Iron	1	-	-	_	1	_	-	1	-	-
Jackson	26	4	_	3	14	_	5	18	_	8
Jefferson	86	27	-	_	57	1	1	84	1	1
Juneau	41	11	1	_	28	_	1	39	1	1
Kenosha	256	62	32	1	139	20	2	201	52	3
Kewaunee	12	4	-	1	7	-	_	11	-	1
La Crosse	115	19	5	11	66	5	9	85	10	20
Lafayette	10	2	-	-	8	-	-	10	-	-
Langlade	27	10	-	-	16	-	1	26	-	1
Lincoln	35	8	-	-	26	-	1	34	-	1
Manitowoc	94	24	-	3	61	-	6	85	-	9
									(Con	tinued)

Table 11. Births to Teens by Age Group, Race of Mother and County of Residence, Wisconsin, 1998

			<18			18-19			Fotal <20	)
County	Total	White	Black	Other	White	Black	Other	White	Black	Other
Marathon	120	24	-	7	74	2	13	98	2	20
Marinette	41	14	-	-	27	-	-	41	-	-
Marquette	9	-	-	-	9	-	-	9	-	-
Menominee	20	-	-	8	-	-	12	-	-	20
Milwaukee	2,445	274	635	54	563	853	64	837	1,488	118
Monroe	63	22	-	2	38	-	1	60	-	3
Oconto	35	10	_	_	23	_	2	33	_	2
Oneida	31	7	_	_	23	1	_	30	1	_
Outagamie	144	36	1	16	76	_	15	112	1	31
Ozaukee	32	7	_	1	23	1	_	30	1	1
Pepin	5	2	_	_	3	_	_	5	_	_
Pierce	27	7	-	-	20	-	-	27	-	-
Polk	38	12	_	_	26	_	_	38	_	_
Portage	75	30	_	2	33	_	10	63	=	12
Price	13	-	_	_	13	_	-	13	_	-
Racine	365	88	57	2	140	77	1	228	134	3
Richland	18	3	_	_	15	_	_	18	_	-
Rock	252	74	22	4	125	25	2	199	47	6
Rusk	13	4	_	_	9	_	_	13	_	_
St. Croix	42	12	_	_	30	_	_	42	_	_
Sauk	66	20	_	_	46	_	_	66	_	_
Sawyer	23	3	_	6	11	_	3	14	_	9
Shawano	43	8	_	4	29	_	2	37	_	6
Sheboygan	138	37	1	11	76	-	13	113	1	24
m 1	10	7			10			10		
Taylor	19	7	-	-	12	-	-	19	=	-
Trempealeau	28	5	-	- 1	23	-	-	28	=	-
Vernon	25	10	-	1	14	-	2	24	=	1
Vilas	13	1 40	- 1	2 3	8 64	-	2	9	- 1	4
Walworth	109	40	1	3	9	-		104	1	4
Washburn	13	4	-	-	9	-	-	13	-	-
Washington	88	29	-	1	58	-	-	87	=	1
Waukesha	206	54	-	-	146	1	5	200	1	5
Waupaca	68	20	-	-	47	-	1	67	-	1
Waushara	29	10	-	-	18	-	1	28	=	1
Winnebago	142	37	1	7	84	1	12	121	2	19
Wood	79	22	-	1	52	-	4	74	-	5

Source: Wisconsin Bureau of Health Information, resident birth certificates.

Note: Included in totals are 2 births for which race of mother was not reported. Births to mothers of Hispanic origin are included within the race categories (see Technical Notes). This differs from the other tables related to race/ethnicity in this report. A dash (-) indicates that there were no births in that category.

Table 12. Births to Unmarried Teens by Age Group and County of Residence, Wisconsin, 1998

County	<15	15-17	<18	18-19	<20	All Nonmarital Births
Total	108	2,164	2,272	3,698	5,970	19,599
Adams Ashland Barron Bayfield Brown Buffalo	n/s n/s n/s n/s	9 n/s 16 n/s 80 n/s	9 n/s 16 n/s 82 n/s	12 10 30 6 133 4	21 14 46 7 215 6	53 46 134 34 830 31
Burnett Calumet Chippewa Clark Columbia Crawford	n/s - n/s - -	n/s 8 21 16 17	n/s 8 22 16 17 7	7 26 39 20 29	11 34 61 36 46 19	49 74 175 91 140 55
Dane Dodge Door Douglas Dunn Eau Claire	n/s - n/s - - n/s	102 20 n/s 19 10 24	106 20 n/s 19 10 25	177 40 13 32 29 35	283 60 15 51 39 60	1,103 214 53 173 117 258
Florence Fond du Lac Forest Grant Green Green Lake	- - - - -	21 6 17 7 4	21 6 17 7 4	59 12 31 13	80 18 48 20 15	2 292 41 122 87 55
Iowa Iron Jackson Jefferson Juneau Kenosha	n/s - n/s - n/s 5	n/s 6 23 8 83	n/s 7 23 9 88	5 13 42 19 134	7 20 65 28 222	59 3 67 197 87 670
Kewaunee La Crosse Lafayette Langlade Lincoln Manitowoc	n/s n/s n/s - n/s	5 26 n/s 9 6 25	5 28 n/s 9 7 25	5 67 6 14 24 53	10 95 8 23 31 78	28 312 33 56 73 242
Marathon Marinette Marquette Menominee Milwaukee Monroe	- - - - 60 -	25 9 - 7 860 19	25 9 - 7 920 19	69 18 6 10 1,325 25	94 27 6 17 2,245 44	296 94 33 65 7,163 140 (Continued)

Table 12. Births to Unmarried Teens by Age Group and County of Residence, Wisconsin, 1998

~				10.10		All Nonmarital
County	<15	15-17	<18	18-19	<20	Births
Oconto	_	10	10	19	29	96
Oneida	_	7	7	18	25	89
Outagamie	n/s	38	40	66	106	409
Ozaukee	-	6	6	22	28	111
Pepin	n/s	n/s	n/s	n/s	n/s	13
Pierce	-	7	7	16	23	98
Polk	-	11	11	21	32	118
Portage	-	31	31	26	57	161
Price	-	-	-	9	9	35
Racine	11	125	136	186	322	972
Richland	n/s	n/s	n/s	11	14	57
Rock	6	90	96	126	222	691
Rusk	n/s	n/s	n/s	6	10	37
St. Croix	-	9	9	21	30	107
Sauk	n/s	16	17	29	46	157
Sawyer	-	9	9	11	20	69
Shawano	-	10	10	24	34	126
Sheboygan	-	41	41	57	98	289
Taylor	-	6	6	8	14	43
Trempealeau	-	5	5	18	23	91
Vernon	n/s	9	10	11	21	77
Vilas	n/s	n/s	n/s	9	12	67
Walworth	-	37	37	44	81	255
Washburn	n/s	n/s	n/s	8	11	40
Washington	n/s	25	28	48	76	229
Waukesha	n/s	50	51	119	170	535
Waupaca	-	16	16	34	50	145
Waushara	-	7	7	13	20	52
Winnebago	n/s	35	37	68	105	386
Wood	-	20	20	34	54	197

Source: Wisconsin Bureau of Health Information, Wisconsin Births and Infant Deaths, 1998.

Notes:

Included in the totals are 2 births for which age of mother was not reported. A dash (-) indicates that there were no births to unmarried women in this age group. An n/s indicates that births to unmarried women are <u>not shown</u>, and at least one but fewer than five <u>total</u> births (to married and unmarried mothers) occurred in the age group (see Table 9).

Table 13. Births by Teen Age Group and Selected City of Residence, Wisconsin, 1998

City	<15	15-17	<18	18-19	<20	All Births
Appleton	1	32	33	72	105	1,134
Beloit	5	45	50	70	120	626
Eau Claire	2	12	14	37	51	701
Fond du Lac	-	12	12	47	59	585
Green Bay	3	70	73	141	214	1,799
Janesville	-	37	37	43	80	867
Kenosha	5	83	88	141	229	1,699
La Crosse	2	24	26	50	76	604
Madison	4	80	84	140	224	2,678
Manitowoc	1	18	19	35	54	434
Mequon/Thiensville	-	1	1	3	4	245
Milwaukee	58	829	887	1,330	2,217	11,000
Neenah/Menasha	1	15	16	33	49	582
Oshkosh	1	14	15	46	61	714
Racine	11	109	120	170	290	1,642
Sheboygan	-	35	35	61	96	658
Stevens Point	-	21	21	25	46	313
Superior	-	8	8	28	36	357
Watertown	-	13	13	19	32	305
Waukesha	1	22	23	56	79	1,031
Wausau	-	14	14	42	56	505
West Bend	1	12	13	22	35	444

Source: Wisconsin Bureau of Health Information, resident birth certificates.

Note: A dash (-) indicates that there were no births in that category.

## **Definitions, Explanations of Terms, and Limitations of the Data**

**Teens.** "Teens" in this report are females under 20 years of age. "Younger teens" are less than 18 years of age. "Older teens" are 18 to 19 years of age.

**Race/Ethnicity Classifications.** The Bureau of Health Information has reported maternal and child health data by race and ethnicity two different ways. The first presentation of data excludes persons of Hispanic ethnicity from any of the race categories and shows data for Hispanics separately. Most of the tables and graphs in this report present the race/ethnicity data in this format. Table 11 includes Hispanics within the racial categories. (Most Hispanics in Wisconsin report their race as white.)

Prior to 1994, Wisconsin birth reports included a racial category labeled "Indochinese." Beginning in 1994, this category was redefined as "Laotian/Hmong" (who constituted approximately 95 percent of the Indochinese category). The remaining 5 percent of births in the Indochinese category were reallocated to the "Other" grouping; this includes Vietnamese, Cambodian, Thai, Chinese, Japanese, and East Indian.

### Mortality.

**Infant Deaths.** The birth-death cohort is not completed until one full year after the end of the birth cohort calendar year. This publication reports mortality data on infants who died during 1998, rather than the mortality experience of the 1998 birth cohort, to allow more timely reporting on infant mortality.

**Fetal Deaths.** A fetal death or stillbirth is "a fetus which, after complete expulsion or extraction from the woman, does not breathe or show other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles". By Wisconsin statute, a stillbirth of at least 20 weeks' gestation or 350 grams must be reported. Some 1998 stillbirths (fetal deaths) to Wisconsin residents are not included is this publication because some were less than 20 weeks' gestation, some occurred outside Wisconsin, and an unknown number that occurred within the state were not reported. (Note: A fetal death report is not used for induced abortions.)

**Limitations of the Data.** Vital records information has some limitations related to completeness, accuracy, and timeliness of registration, quality control procedures and classification problems. The reporting of live births and infant deaths is considered to be essentially complete for births occurring in Wisconsin. A cooperative exchange program between the states has been in operation for several decades to allocate birth and death certificates to the state of residence. Although this exchange program is not totally complete, the incompleteness is not of sufficient magnitude to seriously affect natality and infant mortality results.

Edit checks are incorporated in the software used for electronic transmission of birth certificate data, and the Vital Records and Statistics Unit reviews birth certificates and death certificates for logical inconsistencies. Some errors remain after this review, but they are thought to have little if any effect on statistical results.

**DEPARTMENT OF HEALTH & FAMILY SERVICES**Division of Health
DOH-5103B (Rev. 10/96)

STATE OF WISCONSIN Chapter 69, Wis. Stat.

#### BIRTH CERTIFICATE WORKSHEET

The information on this worksheet (except signatures and informant entries) must be typed, if possible. If a typewriter is not available, the information must be printed neatly IN BLACK INK including informant information. Worksheets that are illegible will be returned for replacement. Item numbers reflect data entry order and are not always in consecutive order on this form.

INFORMANT, READ THE PAGE TO THE LEFT AND COMPLETE THE SHADED AREAS ON BOTH SIDES OF THE FORM.

PARTI	INFORMANT	LEGAL INFORM	ATION	
16. Mother's Current Name First	1	Middle	a	Last
	I dis			
17. Mother's Birth Name (Maiden Name) First	1	Middle		Last
	10484			
18. Mother's Date of Birth (Mo./Day/Yr.) (spell out month)	The first	19. Mother's State	of Birth (if n	ot in the U.S.A., name the country)
* For items 20-23, enter the mother's legal resident (Minor Civil Division) where the home is located. This				
lii		s ine same as me		
20. Residence State (If not in the U.S.A., name the country	()		21. Hesic	lence County
			تحقيق الم	
22. Residence Inside City, Village, Township of:			23. Chec	k One: □ City □ Village □ Township
Husband Information: Read the information on the page to the items pertaining to the husband on the worksheet and I				
24. Husband's Name First	Middle		T .	Last
25. Husband's Date of Birth (Mo./Day/Yr.) (spell out month	)	26. Husband's St	ate of Birth (	if not in U.S.A., name the country)
The Control of the Co		1 A 4-40		
32. Informant Name		33. Relation	on to Child (d	o not enter "father" if informant is not listed as husband in item 24
	Alas delica della			
CHILD'S NAME (Read the information to the left lal you want it to appear on the legal birth record.	beled "D. Na	ming Your child	" before co	ompleting this section.) Print the name as
First Middle	<del></del>		Last	Title (e.g. Jr., II, III, etc.
Talina o uno de Carriero	n selektrika, alta	No. 10 House	1	
PART II INFO (This information Do	DRMANT CO		AL INFORM	A ION th Conficator
☐ Child m y/will be placed for adoption  34b. Social Security Number Requested by Parents? Real on the page to the left labeled, "G. Social Security Number	r Remiested"	on		34c. Mother's Social Security Number
	and to moth 'es".	elle.		34d. Husband's Social Security Number
		☐ YES ☐ NO		
35. Is Mother Married (at any time be week conception and	d birth)? Read	the information lai	oeled "E. Hus	sband/Father Information" on the page to the left
before answering this question.		5 vc0 5 vc	er Austuri	en i lan en la la estada 14. Alta Jaka Adami
*Parent/Informant Signals a and Pare. I certify that the info	ormation I have	YES NO		of both sides of this form is correct to the best of
my knowledge and belief,	Jillianon i nav	e provided in the s	iauou aioaa	of both sides of this form is correct to the bost of
Signature -		rosi Nadas daini		Date Signed
*Only the mother and/or the husband named in item 24	may nama th	e child and/or aut	horiza a ragi	
the informant is someone other than the mother or hust				
PAR	TIRECORD	FILER LEGAL INF	ORMATION	
(RECORD FILER: TYPE OR PRINT CH	ILD'S NAME	AND RE-VERIFY	WITH NAME	GIVEN ABOVE BY INFORMANT)
Child's Name: First Middle			Last	Title (e.g. Jr., II, III, et
l i		ı		1
2. Sex 3. Date of Birth (Month/Day	y/Year) (spell	out month)	4. Hour (s	specify hour and minute and check appropriate bo
☐ Male ☐ Female			1	☐ AM ☐ PM ☐ Noon ☐ Midnigh
5a. Birth Facility ☐ Clinic/Dr. Office ☐ Residence	5b. If a	t or en route to a ho	ospital, give r	
☐ Hospital ☐ Birth Center ☐ Other				
5c. If not at or en route to a hospital, give street address w	here birth occ	curred (where place	nta was deli	verød)
6. County of Birth:	7. Birth Occ	curred Inside City, V	/illage, Town	ship of: 8. Check One:
•				☐ City ☐ Village ☐ Townsh
9a. Attendant Name	9b. Wis.	License #	10. Title	1. ☐ M.D. 2. ☐ D.O. 3. ☐ C.N.M.
			1	4. ☐ Other MDWF 5. ☐ Other
11. Name of Filing Party [s. 69.14(1)(c)] and Title			12. Date	Completed (Month/Day/Year) (spell out month)
			ŀ	
13. Mailing Address of Filing Party   Same as Hospital.	If not at a ho	spital, give complet	e mailing add	dress
27. Birthweight (original unconverted)		28. Crown-Heel L	ength (origin	nal unconverted)
grams OR lbs.	oz.	1		centimeters OR in.
29. If infant Died (Mo./Day/Yr.) (spell out month) 30	). Plurality (sir	gle, twin, triplet, et	c.)	31. If Not Single Birth: (born first, second, third, etc.)
□ Died				l

#### PART III CONFIDENTIAL MEDICAL/STATISTICAL INFORMATION


The information from this page is only available to the mother and to the staff of some public health and research programs. They must treat this information as confidential material. The information is collected throughout the nation for health and population research and it is used to promote healthy births and to identify present and future health needs and populations of certain groups or areas. This information does not appear on the birth certificate.


RACE - Enter the race of the mother and husband (if listed in item 24) on the appropriate line. Enter both races if of "mixed" race. Do not enter "Hispanic" here. If "Native American", enter "American Indian". If Asian or Southeast Asian, specify the national origin such as "Hmong", "Cambodian", "Chinese", "Japanese", etc.

HISPANIC ORIGIN - "Hispanic" refers to people whose origins are from Spain, Mexico, or the Spanish-speaking countries of Central or South America. If you are of Hispanic origin, specify the national origin. If not of Hispanic origin, check the "No" box.

EDUCATION - Enter the number of years of schooling completed. Do not count partial years (e.g. if the freshman year of college is not completed, enter "12" under "Elementary/Secondary" column). Do not include years in technical or specialty schools unless college transferable academic credits were received.

EMPLOYMENT ONE YEAR AGO - Enter the occupation and type of firm or agency worked at one year prior to this birth. Be as specific as possible in these items (See examples below). Avoid the use of a firm or agency name. Instead, describe the type of business in which the firm or agency is involved. Do not use abbreviations for job titles.





			OF FETAL DEATH TICAL PURPOSES ONLY	1		
	NAME (First, Middle, Last) (Optional - N	fay be left blank)	1. DATE OF DELL (Month, Day, 1	(very	2. HOUR	3. SEX Main Female
	4a. Plurality Single, Twin, Triplet, etc. (Specity)	4b. IF NOT SINGLE Specify: First, Second, etc.	5 HOSPITAL - NAME and CA	MPUS (If not in he	ospital, give street	and number or location)
	E. COUNTY OF DELIVERY	7. DELIVERY OCCURRED INSI	DE CITY, VILLAGE, TOWNSHI	•		8 (CHECK OHE)
	9. ATTENDANT NAME		10. WISCONSIN LICEN	ISE MUMBER	11. TITLE	ONN HOW OTHER
	12a. FILING PARTY (s. 66, 15(1)(a)) HAN	ME AND TITLE			12b. DATE RE	PORT COMPLETED by, Year)
	13. MAILING ADDRESS OF FILING PAR	RTY (Street & Number - City, State, 2	19)		_	$ \uparrow $
	14. NAME AND COMPLETE ADDRESS	OF FACILITY DISPOSING OF REMA	NS		1.	/
	15. MOTHER'S CURRENT NAME (First	, Middle, Last)		и морнея	S BIRTH SPENAN	$\overline{}$
	17. RESIDENCE - STATE	18. RESIDENCE - COUNTY	19 ESIDENCE INSID	SPIT VILLAGE	TOWNSHIP	20 JOHECK CHE)
	CONFID	ENTIAL INFORMATION		D HEALTH		
	21. IS MOTHER MARRIED? (at any time between conception and delivery)	23 MOTHER DAY OF ON ON	TH (Morty, Day Year)	SSP KIENNO.	S PATE OF BIRTH	Honth, Day, Year)
	23. RACE 24. HISPANIC ORIGIN White, Black, Specty Cuter, Mested Arrey, Ind., etc. Puerte Rices, etc.	Thighte Grade Completed	PARIO PER AGO	Name of the last	PREVIOUS (Exclude	DELVENES to Delivery.)
ſ		11/1	11/1	\	to arrive L	OTHER TERMINATIONS Sportaneous or induced)
Ļ	. ( )	. 4 / 1	111	7 +	Humber	6_ Number
ſ	110	IB XII	110,	1.	iow Dead	ED wis or more NONE
	10 10	THE HUMBER OF 30 CHEET AS	TAORMAL SI. CLINICAL E	STIMATE OF	DATE OF LAST	DATE OF LAST OTHER TERMINATION
	(Month 1-6: No! British	# 14 /	, Year		Majorath Yashr	March Tree
DICAL CODE	YES	SS ALCOHOLU	SE DURING PREGNANCY?  Eyes, evg. number	100	EIGHT GAM/LOSS	DURING PREGNANCY.
TTT	NO CONTRACTOR POR CAL					
		ED BY: Pending Complete	drinks per week.	gaine		A lost.
]	36. PART I FETAL DEATH WAS CAUSE			gaine		
	S6. PART I FETAL DEATH WAS CAUS. Fenal or maternal condition directly causing letal death festal and/or maternal conditions, if any, giving itse (6, C	ED BY: Pending. Complete	drinks per week.	gaine		A lost.
	36. PART I FETAL DEATH WAS CAUS. First or maternal condition directly causing test death Fetal and/or maternal conditions, if any, giving itse to the immediate cause (A) stanting the undertying cause least	ED BY: Pending. Complete nmediate Cause us to, or se a onsequence of: us to, or as a onsequence of:	drinks per week. when assessment results are	known		A lost.
	36. PART I FETAL DEATH WAS CAUS. Fetal or material condition directly causing letal death. Fetal and/or material conditions, if any, giving the factor to the immediate cause (A) storing the underlying cause	ED BY: Peucling, Complete uns to, or se a consequence of: use to, or as a consequence of: UNKS of letsu or mother; conditions	drinks per week. when assessment results are contributing to 36. FET	gaine	d. 0	A lost.
	36. PART I FETAL DEATH WAS CAUSE First or maternal condition directly causing less death Fatal and/or maternal conditions, if any, giving the to the immediate cause (A) stating the underlying cause last PART II OTHER SIGNAFICANT CONDITION tetal death but not related to cause give	ED BY: Pending. Complete sympletic Cause to the form of a a consequence of: ICNG of tellular or mother: conditions are in PART I (A) all unconvented the or grame).	drinks per week.  when assessment results are  contributing to  16. FET  CROWN - HEEL LENGTH	Quine known	During 1	R loat Fetal or Maternal Cause (State Whish)
	36. PART I FETAL DEATH WAS CAUS First or maternal condition directly causing test death Fast and/or malernal conditions, if any, giving the to the immediate cause (A) stating the underlying cause least FART 8 OTHER SIGNERCANT COME test I death but not related to cause git  37. BIRTH-WEIGHT OF PETUS (Origin Grams OR	ED BY: Pencing. Complete unpolisia Cause us to, or as a consequence of IDMS of lette or mother: conditions ren in PART I (A)  St.  CHECK ALL TH	drinks per week, when assessment results are contributing to 36. FET CORONI-HEEL EMETH (Original uncommitments) AY APPLY	Quine	During 3.	# load:   Faration Maternal Cause     Glaste Whisin     During     Deline   4   Unknown     In
O- A	36. PART I FETAL DEATH WAS CAUS First or material condition directly causing less death Fast and/or malernal conditions, if any, giving that to the immediate cause (A) stating the underlying cause less or the condition of the condition less of the condition of the condition at a condition of the condition of the condition at a condition of the	ED BY: Pencing. Complete unneclase Cause us to, or as a consequence of the consequence of	contributing to 36. FET CROWN - HEEL LEGE (Inches or certificeters) AT APPLY ADDR DELIVERY	Second Parket Pa	During Juliano 3. Transport of the state of	Fersi or Maternal Cause (State Whiten)  During  Deriv  In  SS OF PETUS  eningocele
맒	36. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing test death Fasts and/for malernal conditions, if any, giving the to the immediate cause (A) stating the underlying cause least  FART 8 OTHER SIGNERCANT CONTROL tests does not not related to cause gis test does not not related to cause gis attraction of the control tests of the control tests of the control archive Control	ED BY: Pencing. Complete unnedista Cause un to consequence of cons	contributing to 36. FET COROWN - HEEL LEWERT (Chaptel Uncommented Lewert (Chaptel Unco	US DEO Before 2 Cantino Con Con Con Con Con Con Con Con Con C	During Labor 3. The company of the c	Figure of Maternal Cause (State Whiten)  During  betty  in  Unknown  in  SS OF PETUS  seningocele
	36. PART I FETAL DEATH WAS CAUS First or maternal condition directly causing test death Fest and/or maternal conditions, if any, giving the to the intrincipling cause (A) stating the underlying cause lead  PART I OTHER SIGNERCANT CONDITION test all cause of the cau	ED BY: Pencing. Complete unneclase Cause unneclase Cause us to, or as a consequence of the consequence of th	contributing to 36. FET Contri	US DEO Before 2 Cantino Con Con Con Con Con Con Con Con Con C	During Labor 3. The company of the c	Figure of Material Cause (State Which)  During During 4. Unknown  to
	SE. PART I FETAL DEATH WAS CAUS. First or maternal condition directly causing less death of partial and/or malernal conditions, it any, giving the to the immediate cause (A) stating the undertying cause PART IN OTHER SIGNIFICANT CONDITION total death but not related to cause glo 37. BIRTHOWOGHT OF PETUS (Origin Grams OR HISTORY FOR THIS PREGNANCY nemia (Hct. < 30/Hgb. < 10) arctical disease re-existing Disbetes.	ED BY: Pending Complete mendiate Cause us to, or one a consequence of: too to, or as a consequence of: TORG of lettu or mother: conditions ren to PART I (A)  St. CMECK ALL TH  41. EVENTS OF LABOR AI  OIA Meconium. N  OOC Peren. reptice O4D Meconium.  OSE Placenta pre O4F Placenta pre O4F Seizures dur O6H Precipitous I  O6H Precipitous I  O6H Precipitous I  O7G Seizures dur O6H Precipitous I  Prolonged la	contributing to 36. FET 1. CROWN - HEEL LIDIGITH (Original unconnection) ATT APPLY (DOOR DELIVERY DOOR DELIVERY Of membranes (> 12 hrs) into bleeding ing labor (> 3 hrs) bor (> 30 hrs)	Section 2 Cantino Con Con Con Con Con Con Con Con Con C	During Labor 3. Labor	Figure of Maternal Cause (State Which)  During Deliv. 4. Unknown  in. SOF PETUS  eningocele  rv. Sys. anomalies
	36. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing test death Fest and/or maternal conditions, if any, giving the to the intrincipling cause (A) stating the underlying cause last  PART 8 OTHER SIGNERCANT CONDITION test all cause (A) 37. BIRTHOWEIGHT OF FETUS (Drigin Grams OR) 18.  18.  18. THE OTHER SIGNERCANT CONDITION test all cause (b) 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	ED BY: Pencing. Complete unnedista Cause un to consequence of cons	contributing to 36. FET contributing to 36. FET CROWN-HEEL LENGTH (Ongoal uncompared) (AT APPLY UNDOR DELIVERY DIF or 38 C) lociderate/heavy of membranes (> 12 hrs) and size the desired into th	US DECO Before  Cantin  44. CONGEN GTA GOSE GOSE GOSE GOSE GOSE GOSE GOSE GOSE	During Labor 3. Labor	Fertil or Maternal Cause (State Whisin)  During (Minknown In 1997)  In 1997  SS OF PETUS  eningocele  rv. Sys. anomalies  pir. anomalies
	36. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing test death Fest and/or maternal conditions, if any, giving the to the immediate cause (A) stating the underlying cause [As a condition of the condition of the immediate cause (A) stating the underlying cause [As a condition of the condi	DBY: Pending Complete mendiate Cause us to, or as a consequence of town to present of town	contributing to 36. FET (Organi unconstrate), when assessment results are contributing to 36. FET (Organi unconstrate), uncless or contributing (Organi unconstrate), uncless or contributing (Organi unconstrate), and application of the contribution of the contributio	ALLENOT 2 CARTINION COST COST COST COST COST COST COST COST	During Labor 3. Labor	Process of Maternal Cause (State White)  During Delin 4. Unknown  to S OF PETUS eningocole  rv. Sys. anomalies sations pir. anomalies stenosis sageal
	S6. PART I FETAL DEATHWAS CAUS First or material condition directly causing less death Fistal and/or material conditions. Fistal and/or material conditions, if any, giving that to the immediate cause (A) stating the underlying cause part in OTHER SIGNEFICANT CONDITION test allocate but not related to cause git at a state of the condition of the	ED BY: Pending Complete mendiate Cause us to, or as a consequence of town by or as a consequence of town or mother conditions ent in PART (A) all unconverted list or grame)  CHECK ALL TH  41. EVENTS OF LABOR AI  01A Petrille (> 10  02B Pending list or 04D Pending list 03C Pending list 03C Pending list 04D Pending list 05E Placenta pre 06F Other excess 07G Placenta pre 06F Deprille (> 10  08 Protonged list 09B Protonged list 09B Protonged list 09B Protonged list 10J Dystruction 11K Breech 12L Other major: 12L Other major: 13M Cert protonged 14N Cert protonged 14N Cert protonged 14N Cert protonged 15O Amestical	contributing to 15. FET (Ongows) - WEEL LENGTH (Ongos) unconverted (Inches or contributing to 15. FET (Inches) unconverted (Inches) unconv	US DEO Before 2 Labor 2 Labor 1 CONGEN CTA C	During Labor 3. Labor	Fertile Maternal Cause (State White)  During 4 Unknown  In Unknown
	SE. PART I FETAL DEATH WAS CAUS. First or maternal condition directly causing letel death of feretly causing letel death of the intrinediate cause (A) stating the underlying cause part in the underlying cause part of the underlying part of the under	DBY: Pending Complete mendiate Cause us to, or as a consequence of: too to too	contributing to 15. FET (Ongows) - WEEL LENGTH (Ongos) unconverted (Inches or contributing to 15. FET (Inches) unconverted (Inches) unconv	US DECO Before  Centin  OSA  OSC  OSC  OSC  OSC  OSC  OSC  OSC	During Labor 3. Labor	Figure of Maternal Cause (State White)  During 4. Unknown  In
	S6. PART I FETAL DEATHWAS CAUS First or material condition directly causing listed dawning listed dawn Fastal and/for malernal conditions, it any, giving the to the immediate cause (A) stating the underlying cause least PART if OTHER SIGNEFICANT CONDIT test of cause of the condition of the cond	ED BY: Pending Complete mendiate Cause us to, or as a consequence of too to too	contributing to 36. FET CROWN - HEEL LENGTH (Ongoal uncompared (AT APPLY SHORT) AT APPLY (Ongoal uncompared (AT APPLY SHORT)	Qaine   Qain	During Labor 3. Labor 4. Labor	Post or Maternal Cause (State White)  During Deliv. 4. Unknown  to. S OF PETUS eningocele  rv. Sys. anomalies sations pir. anomalies sations pir. anomalies sations situated anomalies institution in the second sec
	S. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing less death of feretly causing less death of the immediate cause (A) stating the underlying cause part in OTHER SIGNEROANT CONDITION to the Immediate cause (A) stating the underlying cause part in OTHER SIGNEROANT CONDITION to the interval of the cause of the condition of the cause	ED BY: Pending Complete Innedista Cause  us to, or as a consequence of  us to, or as a consequence of  IDREG of texts or mother: conditions an in PARTI (A)  all unconverted tiss, or grame) 38  CHECK ALL TH  41. EVENTS OF LABOR AI  01A Petville (> 10  02B Perville (> 10  03C Perville (> 10  03C Perville (> 10  04D Perville (> 10  04D Perville (> 10  04D Perville (> 10  04D Perville (> 10  05E Placenta pre  06F Placenta pre  06F Placenta pre  06F Protonged to  10U Precipitous 1  08B Protonged to  10U Other malori  10U Other malori  10U Anesthetic  15D Anesthetic  15D Perville (> 10  15D Anesthetic  15D Nome  16R Other  16R Other  16R Vaginal  42. METHOD OF DELIVER  171 Vaginal	contributing to 36. FET (Ongows) - MCEL LONGTH (Original unconnectical process) AT APPLY (DOOR DELIVERY DE OR SELECTION (Original unconnectical process or connectical process or conne	US DECO Before Before Continue COS	During Labor 3. During Labor 3. During Labor 3. Did a Miles Microephalus Other Cert. Ne Specily: Heart mallorm. Other Circ. Irea Specily: Rectal atresia/ Tracheo-esopi fistula/Esopi fistula/Esopi Comphaloceie// Other gastroin Specily: Malformed ger	Post or Maternal Cause (State White)  During Deliv. 4. Unknown  to. S OF PETUS eningocele  rv. Sys. anomalies sations pir. anomalies sations pir. anomalies sations situated anomalies institution in the second sec
	S6. PART I FETAL DEATHWAS CAUS First or material condition directly causing less death Fast and/or malerial condition to the immediate cause (A) attaing the underlying cause be the immediate cause (A) attaing the underlying cause less PART II OTHER SIGNEFICANT CONDIT test doesn't but neithed to cause gis attained to the cause (A) attained to the cause (A	ED BY: Pending. Complete mendiate Cause use to, or se a consequence of the to or mother. conditions en in PART I (A) all uncommended tips, or grame) 31 41. EVENTS OF LABOR AI 01A Febrile (> 10 02B Febrile (> 10 03C Febrile (> 10 04D Febrile (> 10 05E Febrile (> 10	contributing to 15. FET CONTRIBUTION OF THE CO	Qaine   Qain	During Labor 3. Leters OB. Leters	Figure of Maternal Cause (State Which)  During Deliv. 4. Unknown  In Case Which)  Sof PETUS  eningocele  rv. Sys. anomalies  altions  pir. anomalies  altions  speal arresia  astroachisis  lestinal anomalies  sitalia  s al anomalies
	SE. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing lists death Fastal and/or maternal condition to the Immediate cause (A) states the underlying cause part of the underlying part of the underlyin	ED BY: Pending Complete mendiate Cause use to, or se a consequence of TORG of Neture or mother: conditions en in PART I (A) al unconverted to, or grane) 31 32 33 34 35 35 36 36 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38	contributing to 15. FET   COROWNI-HEEL LENGTH (Original unconverted) (Inches or contributing to 1.   COROWNI-HEEL LENGTH (Original unconverted) (Inches or contributions) AT APPLY (DID R DELIVERY ) For 38 C) (Inches or contributions or inches inche	Gales   Gale	During Labor 3. Letters 08. Le	Figure of Maternal Cause (State Which)  During Deliv. 4. Unknown  In Case Which)  List of PETUS  emingocele  rv. Sys. anomalies  altions  pir. anomalies  altions  speal arresia  alestroschisis  lestinal anomalies  intalia  al anomalies  midachyly/Adachyly
	S. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing lest death Fastal and/or maternal condition of the processing lest death conditions, it any, giving the to the immediate cause (A) stating the underlying cause PART IN OTHER SIGNEFOANT CONDITION to the Internetiate cause (A) 37. BIRTHOWORD FOR THIS PREGNANCY nemia (Hot. < 30/Hgb. < 10) archae disease cube or chronic lung disease re-existing Disbettes sential Herpes ther STD (chlamydia, GC) tydrawnios/Coligohydrawnios temoglobinopathy byer remaicion, chronic typer remaicion typer remaicion, chronic typer remaicion, c	ED BY: Pending Complete mendiate Cause use to, or se a consequence of consequence	contributing to 15. FET CONTRIBUTION OF THE CO	Gales   Gale	During Labor 3. Letters 08. Le	Figure of Maternal Cause (State Which)  During Deliv. 4. Unknown  In Case Which)  List of PETUS  emingocele  rv. Sys. anomalies  altions  pir. anomalies  altions  speal arresia  alestroschisis  lestinal anomalies  intalia  al anomalies  midachyly/Adachyly
	S. PART I FETAL DEATHWAS CAUS First or maternal condition directly causing letel death of directly causing letel death of conditions, it any, giving the to the immediate cause (A) stating the underlying cause PART IN OTHER SIGNIFICANT CONDITION THAT IN OTHER SIGNIFICANT CONDITION THAT IN OTHER SIGNIFICANT CONDITION THAT IN OTHER SIGNIFICANT CONDITION OF ANY FOR THIS PREGNANCY nemia (Hct. < 30/Hgb. < 10) article disease Cube or chronic lung disease re-existing Districts sential Herpes berstelling Districts sential Herpes ther STD (Inhamydia, GC) tydraminos/Ciligohydramnios termiglic properties therefore, pregnancy associatement in the condition of the condition that condition of the condition thereof the condition that c	DBY: Pending Complete medical Cause us to, or se a consequence of the total consequence of the t	contributing to 36. FET contributing to 36. FET CROWN - HEEL LIDIGITA (Original uncommented of the contribution of the contrib	Gales   Gale	During Labor 3. Letters 08. Le	Figure of Maternal Cause (State Which)  During Deliv. 4. Unknown  In Case Which)  Sof PETUS  eningocele  rv. Sys. anomalies  altions  pir. anomalies  altions  speal arresia  astroachisis  lestinal anomalies  sitalia  s al anomalies
	S. PART I FETAL DEATHWAS CAUS First or material condition directly causing that death Fastal and/or material condition directly causing that death conditions, if any, giving the to the immediate cause (A) stating the underlying cause PART IN OTHER SIGNEDANT CONDITION that death but not related to cause give and the cause (A)  37. BIRTH-WEIGHT OF PETUS (Origin Grame OR. Ibe HISTORY FOR THIS PREGNANCY nemia (Hot. < 30/Hgb. < 10) ardical disease cube or chronic lung disease re-existing Dusbetes sential Herpes there is the cause of the cause of the cause control of the cause of the cause control of the cause contro	ED BY: Pending Complete mendiate Cause use to, or se a consequence of use to, or se a consequence of lines of the conditions of the condit	contributing to 36. FET CONCENTION OF THE LEGISTRAN OF TH	Speco   Spec	During Labor 3. The common of	Feat or Maternal Cause (State Which)  During to Unknown  In Unknow
	S. PART I FETAL DEATHWAS CAUS First or material condition directly causing that death Fastal and/or material condition directly causing that death conditions, if any, giving the to the immediate cause (A) stating the underlying cause PART IN OTHER SIGNEDANT CONDITION that death but not related to cause give and the cause (A)  37. BIRTH-WEIGHT OF PETUS (Origin Grame OR. Ibe HISTORY FOR THIS PREGNANCY nemia (Hot. < 30/Hgb. < 10) ardical disease cube or chronic lung disease re-existing Dusbetes sential Herpes there is the cause of the cause of the cause control of the cause of the cause control of the cause contro	ED BY: Pending Complete mendiate Cause use to, or se a consequence of consequence	contributing to 36. FET contributing to 36. FET CROWN-INCELLINGTH (Channel International Company of the Company	Speco   Spec	During Labor 3. The common of	Post or Maternal Cause (State Which)  During Deliv. 4. Unknown  In Case Which)  In Case Which  In Case Wh